

Защитные шкафы для хранения литий-ионных батарей

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884


Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: efj@nt-rt.ru || сайт: <https://ecosafe.nt-rt.ru>



Fume hoods, filtering cabinets - Ventilation
Lithium-ion cabinets
Flammable cabinets
Corrosive cabinets
Toxic cabinets and Multirisk
Containment and cans
File cabinets
Anti-fire equipments
Showers and first-aid equipments



15 min
Fire-resistant construction (from inside to outside) certified EI 15 min type A1, in accordance with standard NF EN 13501-1.



▲ S806+LIA1 + PRISELI + GL06 + PEXTBALI50



▲ S2004+LIA5 + 5 PRISELI + GL04 + 2 PEXTBALI50

COMPLIANCE

- REGULATION - EU -2023/1542 - Article 42 - 4. Storage or transport conditions ensure the conformity of batteries.
- Non-flammable insulating panels, classified A1 according to NF EN ISO 1182, between the walls.
- Fireproof construction certified EI 15 min type A1, according to NF EN 13501-1.
- Standardized warning labels in accordance to ISO 3864, ISO 7010 standards and to European Directive 92/58/EEC.

CONSTRUCTION

- Double wall 12/10 steel construction.
- Mineral fibre insulation 20 mm thick in accordance to NF EN ISO 1182.
- White epoxy paint RAL 9010.
- Adjustable retention shelves on racks.

EQUIPMENTS

- Ventilation by means of a lateral inner duct with opening at the top and bottom (Ø 100 mm).
- Roof ventilation outlet with connection sleeve (Ø 100 mm).
- Hinged doors with reinforced hinges with manual closing.
- Two-point locking.
- Key lock.

OPTIONS

- Perforated shelves with 50 KG load capacity (Ref. E04LI or E06LI)
- Removable Containment sump at the bottom (Ref. GL04 or GL06)
- Fire extinguisher automatically triggered at 79°C by special lithium thermal bulb (Ref. EX100LI, EX200LI or EX500LI)

- Rack of electrical outlets for recharging batteries (Ref. PRISELI / see the chart by country)
- Drilling in the lower part for cable passage with fireproof cable (Ref. PEXTBALI50)

VENTILATION

All cabinet models are equipped with ventilation holes, allowing them to be connected to a ventilation system. Forced ventilation is strongly recommended to avoid internal heat build-up or stagnation of vapors in case of electrolyte leakage. This can be connected either to an external outlet or to a ventilation or filter box.

ALARMWI DESCRIPTION

This Wi-Fi smoke detector alerts you if there is smoke or excessive heat build-up. It alerts you with an audible alarm for people nearby and an alert sent to your phone wherever you are.

- Easy to connect to your Wi-Fi, for alerts on your phone.
- Audible alarm to warn as many people as possible.
- Threshold of detection: 37 °C.
- Powered by 2x AA/LR6 battery.

VENTILATION

All cabinet models are equipped with ventilation holes, allowing them to be connected to a ventilation system. Forced ventilation is strongly recommended to avoid internal heat build-up or stagnation of vapours in case of electrolyte leakage. This can be connected either to an external outlet or to a ventilation or filter box.



NON-EQUIPPED CABINETS

P/N	Description	External dimensions H x W x D (mm)	Interior dimensions H x W x D (mm)	Empty weight without options
S804LI	2 doors counter cabinet to be equipped (depth 450)	895 x 1000 x 450 ⁽¹⁾	745 x 950 x 400	75
S806LI	2 doors counter cabinet to be equipped (depth 600)	895 x 1000 x 600 ⁽¹⁾	745 x 950 x 550	90
S2004LI	2 doors tall cabinet to be equipped (depth 450)	2095 x 1000 x 450 ⁽²⁾	1945 x 950 x 400	152
S2006LI	2 doors tall cabinet to be equipped (depth 600)	2095 x 1000 x 600 ⁽²⁾	1945 x 950 x 550	174

PRE-EQUIPPED CABINETS

P/N	Description	External dimensions H x W x D (mm)	Weight (kg)
S804+LIA1	2 doors counter-top fire resistant cabinet for lithium batteries pre-equipped with 1 x E04LI shelf + 1 x EX100LI (fire extinguisher)	895 x 1000 x 450 ⁽¹⁾	77
S806+LIA1	2 doors countertop fire resistant cabinet for lithium batteries pre-equipped with 1 x E06LI shelf + 1 x EX100LI (fire extinguisher)	895 x 1000 x 600 ⁽¹⁾	92
S2004+LIA5	2 doors high fire resistant cabinet for lithium batteries pre-equipped with 5 shelves E04LI + 1 x EX200LI (fire extinguisher)	2095 x 1000 x 450 ⁽²⁾	154
S2006+LIA5	2 doors high fire resistant cabinet for lithium batteries pre-equipped with 5 shelves E06LI + 1 x EX200LI (fire extinguisher)	2095 x 1000 x 600 ⁽²⁾	176

ACCESSORIES

P/N	Description	Weight (kg)	Corresponding Cabinet(s)
E04LI	Perforated shelf (depth 450)	3	S804LI et S2004LI
E06LI	Perforated shelf (depth 600)	3,5	S806LI et S2006LI
GL04	Containment sump (depth 450)	4	S804LI et S2004LI
GL06	Containment sump (depth 600)	5	S806LI et S2006LI
EX100LI	Self-activating fire extinguisher at 79°C with special lithium bulb	2	S804LI et S806LI
EX200LI	Self-activating fire extinguisher at 79°C with special lithium bulb	3	S2004LI I
EX500LI	Self-activating fire extinguisher at 79°C with special lithium bulb	3	S2006LI
PEXTBALI50	Hole for cable passage with fireproof cable passage at the bottom (max. 4 cables)	-	Any model
PRISELI	Rack of 8 electrical outlets E+F (220 volts - 4000 watts - 16 amps - 50hz)	2	Any model
PRISELIF	Rack of 8 electric outlets type F (Germany)	2	
PRISELICH	Rack of 8 electrical outlets type J (Switzerland)	2	
PRISELIUK	Rack of 7 electrical outlets type G (United Kingdom)	1,7	
PRISELICC	Rack of 6 sockets equipped with a thermal-magnetic circuit breaker (4000 watts)	-	Any model
ONDULI	4-socket safety inverter for VIG190 or VIG290 or VIG590 (H 90 x W 163 x D 245 mm - 230 volts - 300 watts - 500 volts)	3,5	Any model
ALARMWI	Connected smoke detector with alarm on mobile application in case of triggering with wifi connection	-	-
SED	WiFi alarm and data logger system	1	Any model

© ECOSAFE reserves the right to discontinue or change specifications or designs at any time without notice and without incurring obligations. 10/2023

Fume hoods, filtering cabinets - Ventilation
Lithium-ion cabinets
Flammable cabinets
Corrosive cabinets
Toxic cabinets and Multirisk
Containment and cans
File cabinets
Anti-fire equipments
Showers and first-aid equipments

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: efj@nt-rt.ru || сайт: <https://ecosafe.nt-rt.ru>